


Masport®

100 years in the making



www.masportlawnmowers.co.uk



1910 -
Open of Business

1968 -
First Roller Mower
Produced

2010 -
Completes 100
years

Masport is a leading manufacturer and distributor of consumer outdoor power equipment, exporting to over 40 countries worldwide.

Masport have been delivering a range of quality lawn and garden products since the 1930's and have continued to maintain an ever growing presence in the UK for 50 years.

The Rotarola model which we see today is not that far away from its predecessor back in 1968, in terms of pure 'rugged' build, performance, quality, and operator's ease of use. The resulting lawn finish is outstanding.

Benefits of owning a Masport

Masport mowers have been designed to meet the demands of the toughest of lawns.

The climate in New Zealand can be warm and wet...not to dissimilar to British weather conditions, and as such Masport are very much in tune with consumer's needs. Damp and lush grass growth brings out the best in Masport rotary mowers.

Aided by a wide 'rear ejection' channel to ease the flow of cut grass into the catcher, Masport rotary mowers remain industry leaders in performance.

Many of the models are fitted with 'Smart Chutes' allowing you to easily switch from collecting to side or rear discharge. You can mulch with many of them also. 'Quickcut', Bar Blade or Cylinder cutting systems give you a varied range, and versatility you come to expect from an industry leader.

You demand high performance, to suit your lifestyle and budget.

Masport delivers.

— Low Vibration
— Quickcut Blade System

— Consumer & Professional Products
— Roller Range
— Steel or Alloy Decks



BLADE SYSTEMS

MASPORT BAR BLADE

One piece bar blade for efficient cutting and mulching.



MASPORT QUICKCUT®

The Masport Quickcut® blade is a top quality - specially designed blade for cutting and mulching. These blades have a swing back design which protects the crankshaft from damage if the blades hit a solid object.





MASPORT 4 BLADE DISC

Masport mowers such as the MSV® range are fitted with a specially designed four blade disc system, great for catching due to increased airflow.



FEATURES



*Conditions apply



*Loncin

LONCIN or **BRIGGS & STRATTON**

Loncin OHV 123cc B&S 300E 125cc

- 42cm/16" Cutting Width
- Steel Deck
- Bar Blade
- 12-63mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Catch & Mulch

150 ST



*Loncin

LONCIN or **BRIGGS & STRATTON**

Loncin OHV 123cc B&S 450E 125cc

- 46cm/18" Cutting Width
- Steel Deck
- Quickcut Blade
- 10-63mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars
- Catch & Mulch

200 ST



- 750W 58V Li Battery
- 46cm/18" Cutting Width
- Steel Deck
- Quickcut Blade
- 10-69mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Catch & Mulch
- Run time up to 1h

400 ST



*B&S

LONCIN or **BRIGGS & STRATTON**

Loncin OHV 123cc B&S 450E 125cc

- 46cm/18" Cutting Width
- Alloy Deck
- Quickcut Blade
- 11-77mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Catch & Mulch

300 AL



Push Mowers



- 675 EXI OHV 163cc - Ready Start
- 46cm/18" Cutting Width
- Alloy Deck
- Quickcut Blade
- 12-70mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Catch, Rear & Mulch
- Wash Port

500 AL



- 675 EXI OHV 163cc - Ready Start
- 48.5cm/19" Cutting Width
- Alloy Deck
- Quickcut Blade
- 10-76mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Catch, Rear & Mulch
- Steel Deflector

Contractor 625 AL



- 675 EXI OHV 163cc - Ready Start
- 54cm/21.5" Cutting Width
- Alloy Deck
- Quickcut Blade
- 9-65mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Catch, Rear & Mulch
- Wash Port

Wide Cut 800 AL





800 AL SP PRO Features

Low Vibration 3.1m/s²

Masport®



ANTI-VIBE
MOUNT

DUST
COVER

SELF-PROPELLED

STEEL
DEFLECTOR

NON-RUST
ALLOY DECK

DOUBLE
BALL
BEARINGS

3 POSITION
HANDLE
ADJUST

PRO ENGINE B&S
850 OHV 190cc

UPGRADED
GEAR BOX

HEAVY
DUTY TREAD

4-BLADE
DISC





*Loncin

Loncin or **BRIGGS & STRATTON**

Loncin OHV 123cc B&S 300E 125cc

- 42cm/16" Cutting Width
- Steel Deck
- Bar Blade
- 14-62mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars
- Catch & Mulch

150 ST SP



STEEL
Deck mowers



*Loncin

Loncin or **BRIGGS & STRATTON**

Loncin OHV 139cc B&S 500E 140cc

- 46cm/18" Cutting Width
- Steel Deck
- Quickcut Blade
- 12-47mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars
- Catch & Mulch

250 ST SP



STEEL
Deck mowers



BRIGGS & STRATTON

- 500E OHV 140cc
- 46cm/18" Cutting Width
- Steel Deck
- Quickcut Blade
- 14-45mm Cutting Height
- Single Lever Height Adjust
- Handle lift system
- Folding Handle Bars - Cam Locks
- Catch & Mulch

350 ST SP



STEEL
Deck mowers



BRIGGS & STRATTON

- 675EXI OHV 163cc - Ready Start
- 46cm/18" Cutting Width
- Alloy Deck
- Quickcut Blade
- 14-53mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Catch, Rear & Mulch

575 AL SP



Self-Propelled Mowers

Masport®



instart^{IS}

- 675 EXI OHV Electric Start 163cc
- 46cm/18" Cutting Width
- Alloy Deck
- Quickcut Blade
- 14-53mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Catch, Rear & Mulch

575 AL SP INSTART



- 675 EXI OHV 163cc - Ready Start
- 54cm/21.5" Cutting Width
- Alloy Deck
- Quickcut Blade
- 12-68mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Catch, Rear & Mulch
- Wash Port

Wide Cut 800 AL SP



- 850 EX PRO OHV 190cc - Ready Start
- 54cm/21.5" Cutting Width
- Alloy Deck
- Disc Blade
- 13-65mm Cutting Height
- Single Lever Height Adjust
- Low Vibration 3.10 m/s²
- Catch, Rear & Mulch
- Heavy Duty Throttle Control
- Semi-Pro Gearbox
- Steel Deflector
- Folding Handle Bars - Cam Locks

800 AL SP PRO



- 850 EX PRO OHV 190cc - Ready Start
- 52cm/21" Cutting Width
- Steel Deck
- Quickcut Blade
- 13-60mm Cutting Height
- Single Lever Height Adjust
- Catch, Rear & Mulch
- 3-Speed Aluminium Gearbox
- Heavy Duty Controls
- Folding Handle Bars
- Steel Deflector

Contractor 21"





HEAVY DUTY
BARS & CONTROLS

DUST COVER

STEEL
DEFLECTOR

PRO ENGINE B&S
850EX OHV 190cc

DOUBLE
BALL
BEARINGS

REAR
DISCHARGE

ALUMINIUM
WHEEL

BUMPER BARS

MULCH

3-SPEED
GEARBOX
HEAVY DUTY
ALLOY

QUICK CUT
BLADE

STEEL
DECK

The Rotarola Range

Masport®

The Rotarola is and has always been the flagship of the Masport line-up, and the 7-model range gives you plenty of options to suit your lawn and your pocket.

Starting with an 46cm/18" push, moving through 46cm/18" self-propelled models, powered by a choice of engines, the Briggs and Stratton Ready Start, Honda GCV, the NEW Loncin OHV and the fabulously 'user friendly' Briggs and Stratton INSTANT, which features a Lithium-Ion battery, giving you 'push button' electric start technology.

It doesn't stop there. For the larger garden, Masport have the 54cm/21.5" self-propelled Rotarolas.

Masport has the Rear Roller Rotary Mower for you.



Why a Rear Roller Rotary?

The Rotarola gives you the excellent 'striped' finish of a roller mower, combined with the versatile efficiency of a rotary mower. Another great feature- The rear roller (which is steel), allows you to mow over the edge of your lawn, without falling into your flower beds! The roller acts as a stabiliser.

When mowing in wet/damp conditions, grass collection is not hindered. The full-width rear ejection channel really allows that damp grass to 'fly' into the catcher. And don't worry about the moisture 'rusting away' the machine body. It's rustproof alloy! You can also use the 46cm/18" models, without the catcher. The rear flap allows the grass to discharge to the rear of the machine.

Other features include the 'over centre' cam-lock handles, making the handles easy to fold for storage or transportation. The 'Quickcut' blade system really is the 'icing on the cake'. Swing Tip Blades and a steel 'lugged' blade boss give you engine protection, without compromising air flow, which optimises collection. Some of the key features of the Masport Rotarola that have led to gardeners from all sectors of lawn-care to use Masport mowers for the last 50 years.



RR PUSH 18

- 675 EXI OHV 163cc - Ready Start
- 46cm/18" Cutting Width
- Alloy Deck
- Quickcut Blade
- 17-53mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Steel Rear Roller



*Loncin



Loncin OHV 159cc B&S 675E 163cc

- 46cm/18" Cutting Width
- Alloy Deck
- Quickcut Blade
- 13-52mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Steel Rear Roller

RRSP 18



POWERED by HONDA

- GCV 160cc
- 46cm/18" Cutting Width
- Alloy Deck
- Quickcut Blade
- 13-52mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Steel Rear Roller

RRSP 18H



Rear Roller Mowers

Masport®



- 675 EXI INSTART OHV 163cc - Ready Start
- 46cm/18" Cutting Width
- Alloy Deck
- Quickcut Blade
- 13-52mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Steel Rear Roller

RRSP INSTART



- 675 EXI OHV 163cc - Ready Start
- 54cm/21.5" Cutting Width
- Alloy Deck
- Quickcut Blade
- 18-62mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Steel Rear Roller

RRSP 22 B&S



POWERED by HONDA

- GCV 160cc
- 54cm/21.5" Cutting Width
- Alloy Deck
- Quickcut Blade
- 18-62mm Cutting Height
- Single Lever Height Adjust
- Folding Handle Bars - Cam Locks
- Steel Rear Roller

RRSP 22H





For the discerning gardener, there is nothing quite like a finely cut, manicured lawn - and that's where the Masport Olympic Cylinder mower comes in. Unlike a rotary blade - which relies on the speed that the blade rotates at, to chop the grass on impact - the cylinder mower uses a revolving cutting cylinder which spins against a fixed 'bottom' blade (which runs the width of the machine).

A 'scissor action' is created between the cylinder and fixed blade, 'slicing' the grass neatly.

Combine this precision cutting with a power driven rear roller (to give you that 'Wimbledon' stripe effect), with the ability to achieve very low cutting Heights, and your results are a stunning professional finish.

Masport gives you the choice of 4 models, all with a super lightweight high density, high capacity plastic grass catchers and 'split' rear rollers for ease of manoeuvrability.

- **Olympic 400** - For the smaller/medium sized lawn
- **Olympic 500** - For the larger lawn
- **Olympic 660** - For extra-large lawn
- **Olympic Golf 500** - Multi-bladed cylinder/shaver blade for golf/bowling green



Cylinder Mowers

Masport®



- 550 IC, 127cc
- 40cm/16" Cutting Width
- Steel Deck
- 7-30mm Cutting Height
- Infinite Height Adjust
- 6 Bladed Cylinder
- 50 Litres Catcher
- Self-Propelled
- Split steel rear with differential/ Multi-Section front

OLYMPIC 400



- 550 IC, 127cc
- 50cm/20" Cutting Width
- Steel Deck
- 7-30mm Cutting Height
- Infinite Height Adjust
- 6 Bladed Cylinder
- 70 Litres Catcher
- Self-Propelled
- Split steel rear with differential/ Multi-Section front

OLYMPIC 500



- 50 IC OHV, 163cc
- 66cm/26" Cutting Width
- Steel Deck
- 7-30mm Cutting Height
- Infinite Height Adjust
- 6 Bladed Cylinder
- 82 Litres Catcher
- Self-Propelled
- Split steel rear with differential/ Multi-Section front

OLYMPIC 660



- 50 OHV IC, 163cc
- 50cm/20" Cutting Width
- Steel Deck
- 4-30mm Cutting Height
- Infinite Height Adjust
- 10 Bladed Cylinder
- 70 Litres Catcher
- Self-Propelled
- Split steel rear roller and single steel front roller

10 BLADED GOLF





- OHV IC, 6HP
- Reduces material to at least 20% of its original volume
- Weeds are reduced to a fine mulch so they can't regenerate
- Branches up to 50mm can be fed through the side chipper tube
- Larger branches up to 65mm can be fed through the optional chipper side chute, if fitted
- Choice of two grates. Standard model for fine mulch, the other (an optional extra) is designed to avoid clogging with damp leaves and foliage
- Pneumatic tyres - Easy Transportation

Chipper/Shredder 6.5xl

The Masport garden shredder is ideal for the successful recycling of organic garden waste. It operates in two ways:

Shredding - Utilises a horizontal flail arrangement with a total of 9 flail blades, reducing garden foliage to a fine mulch

Chipping - Breaks down thicker branches up to 50mm creating a fine mulch that is perfect for composting.



- 127cc Briggs & Stratton 3.5HP IC horizontal shaft engine
- Sturdy shaft drive with worm gearbox transmission
- Lightweight 37kgs, this allows for easy handling and storage
- 430mm tilling width standard
- 280mm tilling width without outside tines
- Simple controls and rugged construction
- Garden aerator, lawn edger and cleaning brush accessories available as optional extras

Home Gardener

For over 20 years gardeners enjoyed the lightweight versatility of the Masport Home Gardener tiller. It has been rebuilt to the original specifications so that a new generation of gardeners can enjoy the pleasure of backyard flower and vegetable growing.



- Briggs & Stratton 127cc 3.5HP horizontal shaft IC engine
- 240 mm Bar blade
- Ten position Height control
- Vertical cutting range: 4cm above ground to 6.5cm below ground
- 150mm front and 200mm rear ball bearing wheels
- Fold down handles
- Weight: 28.34kgs

Lawn Edger

This machine is ideal for the manicured straight edged lawn finish.

The Masport petrol edger helps you achieve neat and tidy lawn and path edges with ease.

With double front wheels and a wide stance design the edger is very stable, making it easy to use and allowing the operator to be more precise with their edging.

Walk Behind Mowers	Engine		Deck					Transmission
Model	Engine	Model & CC	Cutting Width	Deck	Cutting Height	Height Adjust	Blade	Drive Type
150 ST L	LONCIN	OHV 123cc	42cm/16"	Steel	12-63mm	Single Lever	Bar	Push
150 ST	B&S	300 OHV 125cc	42cm/16"	Steel	10-63mm	Single Lever	Bar	Push
200 ST L	LONCIN	OHV 123cc	46cm/18"	Steel	10-63mm	Single Lever	Quickcut	Push
200 ST	B&S	450E OHV 125cc	46cm/18"	Steel	10-63mm	Single Lever	Quickcut	Push
400 ST LITHIUM ION	BATTERY ELECTRIC	750W 58V Motor	46cm/18"	Steel	10-69mm	Single Lever	2-Blade Disc	Push
300 AL L	LONCIN	OHV 123cc	46cm/18"	Alloy	11-77mm	Single Lever	Quickcut	Push
300AL	B&S	450E 125cc	46cm/18"	Alloy	11-77mm	Single Lever	Quickcut	Push
500AL	B&S	675 EXI OHV 163cc	46cm/18"	Alloy	12-70mm	Single Lever	Quickcut	Push
CONTRACTOR 625 AL	B&S	675 EXI OHV 163cc	48cm/19"	Alloy	10-76mm	Single Lever	Quickcut	Push
WIDE CUT 800 AL	B&S	675 EXI OHV 163cc	54cm/21.5"	Alloy	9-65mm	Single Lever	Quickcut	Push
150 ST SP L	LONCIN	OHV 123cc	42cm/16"	Steel	14-62mm	Single Lever	Bar	Self-Propelled
150 ST SP	B&S	300 OHV 125cc	42cm/16"	Steel	14-62mm	Single Lever	Bar	Self-Propelled
250 ST SP L	LONCIN	OHV 139cc	46cm/18"	Steel	12-47mm	Single Lever	Quickcut	Self-Propelled
250 ST SP	B&S	500E OHV 140cc	46cm/18"	Steel	14-47mm	Single Lever	Quickcut	Self-Propelled
350 ST SP	B&S	500E OHV 140cc	46cm/18"	Steel	14-45mm	Single Lever	Quickcut	Self-Propelled
575 AL SP	B&S	675 EXI OHV 163cc	46cm/18"	Alloy	14-53mm	Single Lever	Quickcut	Self-Propelled
575 AL SP INSTART	B&S	675 EXI OHV INSTART 163cc	46cm/18"	Alloy	14-53mm	Single Lever	Quickcut	Self-Propelled
WIDE CUT 800 AL SP	B&S	675 EXI OHV 163cc	54cm/21.5"	Alloy	12-68mm	Single Lever	Quickcut	Self-Propelled
WIDE CUT 800 ST SP	B&S	675 EXI OHV 163cc	54cm/21.5"	Steel	16-69mm	Single Lever	Quickcut	Self-Propelled
800 AL SP PRO	B&S	850 PRO OHV 190cc	54cm/21.5"	Alloy	13-65mm	Single Lever	Disc-4 Blades	Self-Propelled
CONTRACTOR 21"	B&S	850 PRO OHV 190cc	52cm/21"	Steel	13-60mm	Single Lever	Quickcut	Self-Propelled 3-Speed
RR PUSH	B&S	675 EXI OHV 163cc	46cm/18"	Alloy	17-53mm	Single Lever	Quickcut	Push
RRSP 18L	LONCIN	OHV 159cc	46cm/18"	Alloy	13-52mm	Single Lever	Quickcut	Self-Propelled
RRSP 18	B&S	675 EXI OHV 163cc	46cm/18"	Alloy	13-52mm	Single Lever	Quickcut	Self-Propelled
RRSP 18H	Honda	GCV 160cc	46cm/18"	Alloy	13-52mm	Single Lever	Quickcut	Self-Propelled
RRSP INSTART	B&S	675 EXI INSTART OHV 163cc	46cm/18"	Alloy	13-52mm	Single Lever	Quickcut	Self-Propelled
RRSP 22	B&S	675 EXI OHV 163cc	54cm/21.5"	Alloy	18-62mm	Single Lever	Quickcut	Self-Propelled
RRSP 22H	Honda	GCV 160cc	54cm/21.5"	Alloy	18-60mm	Single Lever	Quickcut	Self-Propelled

Cylinder Mowers	Engine		Deck					Transmission
Model	Engine	Model & CC	Cutting Width	Deck	Cutting Height	Height Adjust	Cylinder	Drive Type
OLYMPIC 400	B&S	550 IC, 127cc	40cm/16"	Steel	7-30mm	Infinite	6 blades	Self-Propelled
OLYMPIC 500	B&S	550 IC, 127cc	50cm/20"	Steel	7-30mm	Infinite	6 blades	Self-Propelled
OLYMPIC 660	B&S	50 IC OHV, 163cc	66cm/26"	Steel	7-30mm	Infinite	6 blades	Self-Propelled
10 BLADED GOLF	B&S	50 IC OHV, 163cc	50cm/20"	Steel	4-30mm	Infinite	10 blades	Self-Propelled

Features			
Catcher	Flap Type	Special Features	Weight
Fabric, 40 Litres	Standard	Mulch & Catch, Cam Lock Handles	22kg
Fabric, 40 Litres	Standard	Mulch & Catch, Cam Lock Handles	21kg
Fabric, 45 Litres	Standard	Mulch & Catch, Knob Handles	27kg
Fabric, 45 Litres	Standard	Mulch & Catch, Knob Handles	26kg
Plastic, 46 Litres	Standard	750W, 58V Battery, Run Time up to 1 hour, Mulch & Catch, Cam Lock Handles	25kg
Plastic, 46 Litres	Standard	Mulch & Catch, Cam Lock Handles	27kg
Plastic, 46 Litres	Standard	Mulch & Catch, Cam Lock Handles	26kg
Plastic, 46 Litres	Smart Chute	Mulch, Catch & Rear Discharge with Smart Chute, Cam Lock Handles, Wash Port, Ready Start (No Choke to Start)	31kg
Fabric, 67 Litres	Steel	Mulch, Catch (c/w Dust Cover Top) & Rear Discharge, Cam Lock Handles, Ready Start (No Choke to Start)	30kg
Fabric, 67 Litres	Smart Chute	Mulch, Catch & Side/Rear discharge with Smart Chute, Cam Lock Handles, Ready Start (No Choke to Start), Wash Port	33kg
Fabric, 40 Litres	Standard	Mulch & Catch, Cam Lock Handles	26kg
Fabric, 40 Litres	Standard	Mulch & Catch, Cam Lock Handles	23kg
Fabric, 45 Litres	Standard	Mulch & Catch, Knob Handles	30kg
Fabric, 45 Litres	Standard	Mulch & Catch, Knob Handles	29kg
Plastic, 46 Litres	Standard	Mulch & Catch, Handle Lift System, Cam Lock Handles	32kg
Plastic, 46 Litres	Smart Chute	Mulch, Catch & Rear Discharge with Smart Chute, Ergo Adjustable Cam Lock Handles, Ready Start (No Choke to Start)	34kg
Plastic, 46 Litres	Smart Chute	Mulch, Catch & Rear Discharge with Smart Chute, Ergo Adjustable Cam Lock Handles, INSTART (Push Button Electric Start)	36kg
Fabric, 67 Litres	Smart Chute	Mulch, Catch and Side/Rear discharge with Smart Chute, Cam Lock Handles, Ready Start (No Choke to Start), Wash Port	38kg
Fabric, 65 Litres	Smart Chute	Mulch, Catch & Rear discharge with Smart Chute, Cam Lock Handles, Ready Start (No Choke to Start), Wash Port	40kg
Fabric, 67 Litres	Steel	Mulch, Catch (c/w Dust Cover Top), Steel Rear Discharge Flap, 3-Pos Adjustable Handles, Professional IC Ready Start (No Choke to Start), Deep Tread Rear Tyres, Semi-Pro Clutch, Low Vibration 3.1m/s ² , Heavy Duty Controls	44kg
Fabric with cover, 80 Litres	Steel	Mulch, Catch & Rear Discharge, Knob Handles, Commercial Clutch, 3-speed gearbox (1st 3.39km, 2nd 4.6km, 3rd 6.01km) 14 Gauge Steel Housing, Front Bumper, Reinforced Axles, Heavy Duty Cables & Controls, Reinforced Handle	57kg
Fabric, 45 Litres	Steel	Rear Roller, Catch & Rear Discharge, Ergo Adjustable Cam Lock Handles, Ready Start (No Choke to Start)	37kg
Fabric, 45 Litres	Steel	Rear Roller, Catch & Rear Discharge, Ergo Adjustable Cam Lock Handles	43kg
Fabric, 45 Litres	Steel	Rear Roller, Catch & Rear Discharge, Ergo Adjustable Cam Lock Handles, Ready Start (No Choke to Start)	40kg
Fabric, 54 Litres	Steel	Rear Roller, Catch & Rear Discharge, Ergo Adjustable Cam Lock Handles	43kg
Fabric, 45 Litres	Steel	Rear Roller, Catch & Rear Discharge, Ergo Adjustable Cam Lock Handles, INSTART (Push Button Electric Start)	43kg
Aero, 65 Litres	Steel	Rear Roller, Aero Catcher, Cam Lock Handles, Ready Start (No Choke to Start)	45kg
Aero, 65 Litres	Steel	Rear Roller, Aero Catcher, Cam Lock Handles	48kg

Features			
Catcher	Cuts	Roller	Weight
Plastic, 50 Litres	112 per metre	Split Steel Rear with Differential / Multi-Section Front	63kg
Plastic, 70 Litres	112 per metre	Split Steel Rear with Differential / Multi-Section Front	68kg
Plastic, 82 Litres	112 per metre	Split Steel Rear with Differential / Multi-Section Front	77kg
Plastic, 70 Litres	186 per metre	Split Steel Rear with Differential / Single Steel Front Roller	78kg

Masport®



April 2019

www.masportlawnmowers.co.uk

FGMCLAYMORE
WATERLOO INDUSTRIAL
ESTATE
WATERLOO ROAD
BIDFORD-ON-AVON
WARWICKSHIRE B50 4JH

TELEPHONE 01 789 490177
FAX 01 789 490170
E-MAIL info@fgmclaymore.co.uk